

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	((("5638946") or ("5677823") or ("6057520") or ("6168395")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:41
L2	6749	(micro adj electromechanical) or (mechanical\$3 adj bistabl\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:42
L3	871	2 and ((first or second) near4 micro\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:47
L4	461	3 and switch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:47
L5	328	4 and distance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:48
L6	6	5 and (work\$3 near3 position\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:48
L7	1	5 and (micro adj element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:49
L8	42	2 and (work\$3 near3 position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:49
L9	42	8 and micro\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:49

## EAST Search History

L10	9	8 and micro\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:50
L11	1895	2 and micro\$4.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:51
L12	433	11 and switch\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:51
L13	200	12 and \$5electro\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:52
L14	24591	12and MEMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:53
L15	376	12 and MEMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:53
L16	258	15 and actuat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:53
L17	39	16 and (bistable or switchable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:54
L18	11	16 and (bistable or switchable).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 17:59
L19	626	(micro adj electromechanical).clm.	US-PGPUB	OR	OFF	2006/05/03 17:54
L20	1	19 and (micro adj element).clm.	US-PGPUB	OR	OFF	2006/05/03 17:55
L21	6	19 and switchable.clm.	US-PGPUB	OR	OFF	2006/05/03 17:56
L22	340	19 and distance\$1	US-PGPUB	OR	OFF	2006/05/03 17:55

## EAST Search History

L23	75	19 and distance\$1.clm.	US-PGPUB	OR	OFF	2006/05/03 18:16
L24	1	23 and (working adj position\$1). clm.	US-PGPUB	OR	OFF	2006/05/03 17:55
L25	235	257/414	US-PGPUB	OR	OFF	2006/05/03 18:16
L26	80	25 and MEMS	US-PGPUB	OR	OFF	2006/05/03 18:16